



JAZZ_S ELECTRIC

height 1260 mm, length 500 mm. Standard White finish (cod. 01).

Technical features:

- electric steel towel warmer radiator
- horizontal elements 25x20 mm rectangular steel tubes
- steel square collectors 30x30 mm section
- complete with thermal liquid
- power cable, length 1200 mm, SCHUKO plug

Price included:


- 4 adjustable wall fixing brackets in the same color of the radiator

Finishes available Surcharge

Standard White
 Classic finished
 Special finished
 Other RAL colors

Finishing codes see page 596.

Available connection



right side manifold

DIGITAL ELECTRONIC CONTROL

ELECTRIC HEATING ELEMENT WITH IR ELECTRONIC CONTROL (TYPE H)




Digital electronic control for regulating the ambient temperature, programmable weekly.
 Insulation class: II.
 Protection index: IP44.
 The electronics are supplied in Standard White color (cod. 01) for white radiators; chrome for colored radiators.



WIFI CONTROL

ELECTRIC HEATING ELEMENT WITH WI-FI ELECTRONIC CONTROL (TYPE E)



Control your radiator remotely using the IRSAP NOW app available from:



Compatible with the systems:




WiFi electronic control for regulating the ambient temperature, programmable weekly. Insulation class: II. Protection index: IP24.
 The electronics are available in the same color finish as the radiator.

*** Available only for UE and CH.**



View the online guides at: now.irsap.com






L mm	H mm	X mm
500	880	340
500	1260	720
600	1460	920
600	1820	1280




JAZZ_S ELECTRIC WITH ELECTRONIC CONTROL (H)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
880 - 18 rails - 2 espaces	ZRS050 H 01 IR 01 NNN	55	880	500	14,5	400
1260 - 24 rails - 4 espaces	ZRM050 H 01 IR 01 NNN	55	1260	500	19,4	500
1460 - 29 rails - 4 espaces	ZRL060 H 01 IR 01 NNN	55	1460	600	26,2	750
1820 - 38 rails - 4 espaces	ZRG060 H 01 IR 01 NNN	55	1820	600	33,7	1000

JAZZ_S ELECTRIC WITH WI-FI ELECTRONIC CONTROL (E)



Model	Code	Depth P mm	Height H mm	Width L mm	Weight Kg	Electric Power Watt
880 - 18 rails - 2 espaces	ZRS050 E 01 IR 01 NNN	55	880	500	14,5	400
1260 - 24 rails - 4 espaces	ZRM050 E 01 IR 01 NNN	55	1260	500	19,4	500
1460 - 29 rails - 4 espaces	ZRL060 E 01 IR 01 NNN	55	1460	600	26,2	750
1820 - 38 rails - 4 espaces	ZRG060 E 01 IR 01 NNN	55	1820	600	33,7	1000



The radiator will be supplied with the resistance always mounted on the inner collector.

Key Codes

Width: ZRS050H | 01 | IR | 01 | NNN
 Height: ZRS050H | 01 | IR | 01 | NNN
 Packing code: ZRS050H | 01 | IR | 01 | NNN
 H electronics for Electronic Control

Standard White colour code - for different colour codes see the colors page

Key Codes

Width: ZRS050E | 01 | IR | 01 | NNN
 Height: ZRS050E | 01 | IR | 01 | NNN
 Packing code: ZRS050E | 01 | IR | 01 | NNN
 E electronics for Wi-Fi electronic control

Standard White colour code - for different colour codes see the colors page

